Work Orde		342		*983	342*							Page 1
Item ID: Revision ID:	D2258-200			Accept	*N900	040	100)*	Setup	Start Stop	*N	S1*
Item Name: Start Date: Required Date: Reference:	Placard 200lb 3/11/13 3/15/13	Start Qty: 15.00 Req'd Qty: 15.00	*15* *15*		Cust Item I Customer:	D:				, vop	^N	Sy.
Approvals:		n: MLJ	Date: 13-03-14			ate:			Run	Start Stop	17	R1* R2*
Sequence ID/ Work Center II	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Re Qt	•	Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr										
D2258	F											
100		PURCHASING		0.00			<u> </u>		- mercury / max	01	1 12-1	03-15
Purchasing Purchasing		Material: R 3M 7mil m	1934 i8-200 read 200lb / 91kg as ed letters (1.00" min height) asking film #8522CP or Avo lease note is required	with adhesive back Ma	anufacture from					pe	<u> </u>	<u>, , , , , , , , , , , , , , , , , , , </u>
*110 *11 0 *		Receive & Inspect for D	Damage & Mat'l Certs	0.00					,		1 2/3/	5 (18
Packaging		Memo		0.00						70	5/-//	

Memo.

Ensure material release note is attached

Packaging

NCR: Ye	es / No				WORK ORDER NON-O	CONFO	RMAI	NCE / UF	PDATE			•
										QA Closed:	Date	:
Work Order	r:				DISPOSITION				AGAINST DI	PARTMENT	/PROCESS	
					Rework]	Skid	-tube	Crosstube]	Water Jet	Engineering
Part No	o				Scrap	<u> </u>		nining	Small Fab	→	d. Eng. Coor.	Quality
					Use-as-is	The	ermofoi		Finishing	Rec/Sto	e/Packaging	Other
NCR N	o				Work Order Update	.	Larg	ge Fab	Composite	_	Supplier	
Root				Descri	ption of work order update	Initia		A,	ction	Sign &		
Cause	Date	Step	Qty	(or Non-conformance	Chief E	ng	Des	cription	Date	Verification	QC Inspector
Doc/Data	_										:	
equip/Tooling	_										·	
Operator	_											
Material		1										
Setup	_	ļ										
Other												
Process												
Supplier												
Training				:								
Unapproved		<u> </u>								<u> </u>		
						AULT CA	TEGOR	<u>Y</u>				
Landin					General				_	٦,	Г	7 /5
-	Bending				Bend	Grai			<u> </u>	Ovalized	., -	Pressure/Forced
<u> </u> -	Centre No	ot Concei	ntric to (^{O/S} _	BOM/Route		lware		<u> </u>	Over/Under	} -	Temperature/Cure
-	Cracks				Broken/Damaged	—		ncomplete	<u> </u>	Part Incorre		Weld
-	Crushed/	Crimped.		<u> </u>	Burrs	\vdash		Incomplete	e/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	Cuffs			<u> </u>	Contamination	\vdash	ntenan	ce		Part Moved		
-	Heat Trea			<u> </u>	Countersink	Mislabeled				Positioned \	_	
L						Power Loss,	'Surge	Other				
<u> </u>	Ripples in			<u> </u>	Drill Holes	Offs						
-	Torque W			n	Drawing		of Calibr					
-	Turning S	•		_	Finish	\vdash	of Seque					
	Wave/Tw	ist in Tul	oe e	1	Folio	Outs	ide Dim	ensions				

DQA: Date:

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde March-12-13 1:		342		*983	42*					Page 2
Item ID: Revision ID: Item Name:	D2258-200 Placard 200lb			Accept	*N90004	10100	* s	Setup Star	14.7	11* 12*
Start Date: Required Date: Reference:	3/11/13	Start Qty: 15.00 Req'd Qty: 15.00	*15* *15*		Cust Item ID: Customer:					
Approvals:	Process Pla		Date:	Tooling: SPC (Y/N):	Date:		F	Run Sta Sto	IA L	?1* ?2*
Sequence ID/ Work Center II	D	Operation Description QC6- Inspect dimensions to	o drawing	Set Up/ Run Hours	Tool ID To	ool # Plan Code	Accept Qty	Reject Qty		nsp. Stamp
120 QC Quality Control		Memo		0.00 3	19		<u> / / </u>	<u> </u>		
*130 *130* Packaging Packaging		Identify as per dwg & Stoc	k Location: ST	0.00			santagesar promise	/4	3/3/1	18 (18
140		QC21- Final Inspection - V	Work Order Release	0.00					3/3/	204
140 QC Quality Control		Memo		0.00					Mil	· .

13-3-19

NCR:	Yes	1	No
		,	

												,s ₆ 76
										DQA:	Date	•
NCR: Y	es / No				WORK ORDER NON-C	CONFO	RMA	NCE / UP	DATE	QA Closed:	Date	
					DISPOSITION.			················	A CAUNCT D	···		
Work Orde	r:				DISPOSITION				AGAINST DI	EPARTMENT,	/PROCESS	
					Rework] [Skic	d-tube 🗌	Crosstube		Water Jet	Engineering
Part N	o				Scrap	1 1		hining	Small Fab		d. Eng. Coor.	Quality
					Use-as-is	The		rming	Finishing	Rec/Sto	re/Packaging	Other
NCR N	0				Work Order Update]	Larg	ge Fab	Composite		Supplier	
Root				Descri	ption of work order update	Initia	1	Ac	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief E	ng	Desc	cription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling		İ										
Operator		j										
Material												
Setup						,						
Other												
Process												
Supplier	_									1		
Training												
Unapproved		<u> </u>				A 1 11 T C A	TEGOS			<u> </u>		
l andi-					General F	AULT CA	TEGOR	<u>{Y</u>				
Landir	ng Gear Bending				Bend	Grai	in			Ovalized	Г	Pressure/Forced
	Centre N	ot Conce	ntric to (\s \-	BOM/Route		dware		-	Over/Under	tolerance	Temperature/Cure
	Cracks	or conce	initic to t	″³	Broken/Damaged	\vdash		ncomplete	-	Part Incorre	F-	Weld
	Crushed/	Crimned		<u> </u>	Burrs	—		Incomplete/	/Unclear	Part Lost/M	⊢	Wrong Stock Pulled
	Cuffs	cimped	-	<u> </u>	Contamination	\vdash	ntenan	•	-	Part Moved		
	Heat Trea	at			Countersink	\mathbf{H}	abeled	· - -	<u> </u>	Positioned		
ţ	Inspectio		Tube		Cut Too Short	Misr				Power Loss,		Other
ŀ	Ripples in				Drill Holes	Offs			<u></u>		- L	
ļ	Torque V		Extrusion	,	Drawing	Out	of Calib	ration				
	Turning 9				Finish	Out	of Sequ	ience		******		
	Wave/Tv				Folio	Out	side Din	mensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

-March-12-13 1:47:46 PM

Work Order ID:

98342

Parent Item:

D2258-200

Parent Item Name:

Placard 200lb

Start Date: 3/11/13

Required Date: 3/15/13

Start Qty: 15.00

Required Qty: 15.00

Comments:

IPP: B04.04.15Reformat; Clarify Step 2KJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2258-200P		Purchased	No				Each	0.0000		15			

Weight Placard 200lb

43/3/19/16

Page 1

									DQA:	Date	:		
NCR: Y	es / No				WORK ORDER NON-C	CONFO	RMANCE / UPI	DATE	04 Classide	Data			
					1	<u> </u>			QA Closed:	Date			
Work Orde	r·				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS			
Work Orac					Rework	1	Skid-tube	Crosstube]	Water Jet	Engineering		
Part N	0.				Scrap	1	Machining	Small Fab	Pro	d. Eng. Coor.	Quality		
					Use-as-is	The	rmoforming	Finishing	Rec/Sto	re/Packaging	Other		
NCR N	0				Work Order Update]	Large Fab	Composite]	Supplier			
Root		1	1	Descri	ption of work order update	Initial	Act	tion	Sign &				
Cause	Date	Step	Qty		or Non-conformance	Chief Er	l l	ription	Date	Verification	QC Inspector		
Doc/Data													
quip/Tooling										•			
Operator													
Material													
Setup													
Other													
Process		į											
Supplier													
Training													
Unapproved		<u> </u>							<u> </u>				
				· · · · · · · · · · · · · · · · · · ·	F	AULT CA	TEGORY						
Landin	g Gear				General				7		_		
1	Bending			<u> </u>	Bend	Grai	า		Ovalized		Pressure/Forced		
	Centre No	ot Conce	ntric to	o/s	BOM/Route	Hard	ware	L	Over/Under	tolerance	Temperature/Cure		
	Cracks				Broken/Damaged	\vdash	ection Incomplete		Part Incorre	<u> </u>	Weld		
1	Crushed/	Crimped			Burrs	Instr	uctions Incomplete/	Unclear	Part Lost/M	issing	Wrong Stock Pulled		
	Cuffs				Contamination	Mair	ntenance		Part Moved				
	Heat Trea	at			Countersink	Misla	beled		Positioned \		-		
Ĺ	Inspectio	n Strip in	Tube		Cut Too Short	Misr	ead	L	Power Loss,	'Surge	Other		
Ripples in Bend Drill Holes						Offse	et						
Torque Waves in Extrusion Drawing						Out of Calibration							
Turning Sequence Finish						Out	Out of Sequence						
	Wave/Tw	vist in Tul	be		Folio	Outside Dimensions							

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

19.0 16.0 MAXIMUM DISTRIBUTED LOAD 3.0±0.13 XXX lb/ YYY kg D2258-XXX

> D2258-XXX PLACARD (XXX = ALLOWABLE WEIGHT IN POUNDS)

I	PART NUMBER	LOAD
Ī	D2258-132	132 lb/ 60 kg
. [D2258-146	146 lb / 66 kg
A	D2258-154	154 lb/ 70 kg
_	D2258-160	160 lb/ 73 kg
	D2258-170	170 lb/ 77 kg
	D2258-176	176 lb/ 80 kg
ſ	D2258-200	200 lb/ 91 kg
ĺ	D2258-220	220 lb/ 100 kg
1	D2258-300	300 lb/ 136 kg

5



KCV.	DESCRIPTION		BY	DATE	
REV.	DEECDIOTION	DESCRIPTION			
Α	NEW ISSUE		8W	94.02.28	
В	ADDED NOTE		BW	95.11.29	
С	REDRAWN. SEE PAR 08-026		AJS	08.10.29	
D	ADD P/N D2258-176		HS	09.06.03	
E	ADD P/N D2258-146 (ZN B5-1), UPDATE TOLERANCE AS PURCHASED	(ZN D4-1, D8-1)	CP	10.01.15	
F	ADD P/N D2258-154 (ZN B5-1)	(REF. NCR11-870)	MB	11.06.17	

*****		DECOM: (10)
DESIGN	BW	DART AEROSPACE LTD
DRAWN	7	HAWKESBURY, ONTARIO, CANADA
CHECKED	il	DRAWING NO. REV. F
MFG. APPR.	En	D2258 SHEET 1 OF 1
APPROVED	SNA	TITLE SCALE
DE APPR.		UTILITY BASKET PLACARD NTS
DATE 11 (06 17	COPYRIGHT © 1994 BY DART AEROSPACE LTD THIS SOCIABITIES PRIVATE AND CONFESSIONS, AND IN EXPLICIT ON THE COMPESSION CONSTRON THAT IT IS

NOTES:
1) MATERIAL: RED LETTERS, 1 HIGH, ADHESIVE BACK
MANUFACTURED FROM 3M, 7 MIL MASKING FILM #8522CP OR

2) FINISH: NIA
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: N/A

6) IDENTIFICATION: N/A

7) WEIGHT: N/A 8) PART NUMBER = D2258-MAX DISTRIBUTED WEIGHT IN POUNDS (lbs) OF THE BASKET. EXAMPLE: D2258-132 IS A BASKET WITH MAX DISTRIBUTED WEIGHT OF 132 POUNDS (lbs).

> <u>SE</u>[1] 82.77 ENCIN UNCOMERCI SUBJECT T WITH



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19348

Purchase Order Date 3/15/13 PO Print Date 3/18/13

Page Number 1 of 2

Order From:

VC-STU001

STUDIO DE LETTRAGE 2001

210 MAIN WEST

HAWKESBURY, ON K6A 2H6

CA

Contact Name

Vendor Phone

613 632 5449

Vendor Fax

613 632 9491

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Terms Currency

FOB

Brigitte Golden

10127-2607 Net 30

CAD

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

REVISED.

Line Nbr	Reference Revision ID Vendpr Part Number	Description/ Mfg ID	Req Date/ Taxable Unit of	Req Qty/ f Measure	Ship Method	Unit Price	Extended Price
1 D3	096-1P	Placard	3/18/13	6.00	Yours ppd	\$13.3333	\$80.00
			Yes	Each	FF-	0.5.000	\$00.00
		Special tust:	AS PER DWG: D3096 REV:A B98575	·			
D40	086-20 0 P	Placard, Max Load	3/18/13 Yes	10.00 Each	Yours ppd	\$8.0000	\$80.00
		Specia/ Inst:	AS PER DWG: D4086 REV: B B98519				
D22	258-200P	Weight Placard 2001b	3/18/13 Yes	15.00 Each	Yours ppd	\$11.2433	\$168.65
		Special Inst:	AS PER DWG: D2258-2 REV:F B98342	200			

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required YES) NO

Change Nbr:

Change Date: 3/18/13

Studio de Lettrage 210 Main Street W Hawkesbury, Ontario K6A 2H6

INVOICE

Invoice No.:

19727

Date:

03/18/2013

Ship Date:

Page:

Re: Order No.

WO9528

Sold to:

Dart Aerospace Ltd

1270 Aberdeen Hawkesbury, Ontario K6A 1K7

Ship to:

Dart Aerospace Ltd

Hawkesbury, Ontario

I lot of 6 D3096-P stickers	Busines	1	82500 7651 RT					avair areas
1 set up charge	Iten	No.	Unit	Quantity	Description	Tax	Unit Price	Amount
Shipped By: Tracking Number:	iten	i No	Unit	1 1 1 15 15	lot of 6 D3096-P stickers set up charge lot of 10 D4086-200P stickers set up charge stickers D2258-200P Set up charge lot of 12 D3671-1P stickers set up charge H - HST 13%	H H H H H H H	50.00 30.00 50.00 7.91 50.00 30.00	30.00 50.00 30.00 50.00 118.65 50.00 30.00 50.00
Shipped By: Tracking Number:	Studio de	el ettrage	HST: #825007651R	T0001				
Sold By:	Shipped Comme	By: nt: PO	Tracking N			1	Total Amount	461.77

東 東	****Certificate of Conformity****				
Stradin Lettrage 2001					
	9528	<u>Part#:</u> DZZ58-Z00P	Serial #:		
Description:		Quantity:			
Stecher		15	· · · · · · · · · · · · · · · · · · ·		
Certification:					
We hereby certify that:					
The above the listed items accordance with applicable	were manufactu drawings and/o	red, repaired and/or i r specifications;	nspected in		
All work was accomplished Purchase Order;	l in accordance v	with the Dart Aerospa	ce		
 Results of all inspections, chemical or physical tests, as well as other evidence, which shows the acceptability of raw materials, parts and/or assembly components are on file and available for inspection at any time. 					
Authority:					
,					
3M					
APPROVAL: GRACE	isati s ta	<u>date:</u> /8/3/	13		
Signature: 400		, 0, 0,			
Title: VP					



Product & Instruction Bulletin 8522

Release I, Effective September 2008 See Bulletin Change Summary and end of Bulletin This Bulletin now includes Instruction Bulletin 4.23

Scotchcal[™] Changeable Opaque Imaging Media

8522

Product Description

Recommended Types of Graphics and End Uses

For Thermal Inkjet Printing

This durable, 7 mil, opaque, changeable film is optimized for use with selected thermal inkjet printers and inks. Ink dries quickly on the film. When overlaminated, it is warranted for medium term, outdoor weatherable graphics, and long term indoor graphics.

When constructed and used as described in this Bulletin, these types of graphics and end uses may be warranted by the $3M^{\,}M$ MCS $^{\,}M$ Warranty. Please read the entire Bulletin for details.

- First surface images (the image is on top of the film) for opaque posters and signs, including:
 - Graphics for vans, personal vehicles, trucks and buses
 - Novelty posters
 - Retail and point-of-purchase displays
 - Information graphics such as maps and directories
 - Entertainment promotions in museums, zoos, parks, theatres, sports venues
 - Education and presentation graphics
 - Legal and courtroom exhibits
- For flat or simple curved surfaces, with or without rivets, used in vertical (± 10°) applications

Limitations of End Uses

3M specifically does not recommend or warrant the following uses, but please contact us to discuss your needs or recommend other products.

Unsuitable End Uses for This Product

- Not for electronically cut individual letters and numbers
- Fleet applications in areas that use salt for winter road maintenance
- Application to non-warranted substrates, including wallboard
- · Applications subjected to gasoline vapors or spills
- Application to corrugated or highly irregular surfaces or sharply raised areas
- Graphics applied to stainless steel, including stainless steel vehicles
- On flat surfaces with rivets, tenting of 4 to 10 mm around rivets may be expected; rivets may be cut around to eliminate tenting.
- Graphics made for automotive Original Equipment Manufacturers (OEM); contact 3M Automotive Division at 1-800-328-1684 for alternatives.

About Water-Based Inkjet Technology

Standard inkjet technology is water based. Water-based chemistry is susceptible to the extremes of heat and humidity. This is a factor in most product constructions on the market. Read the Fabrication, Shelf Life and Storage sections in this Bulletin. Staying in the middle of these ranges always provides optimum performance.

Compatible Products

3M Graphic Materials

For complete details about graphic construction options, recommended uses and durability, refer to the Product Bulletin for the base film or substrate (media) you are using. See **3M Related Literature** at the end of this Bulletin.

This Bulletin provides details about the base film and construction options and warranty. Additional specific information about compatible products can be found in the Product and Instruction Bulletins listed in **3M Related Literature** at the end of this bulletin.

3M Graphic Materials

For complete details about graphic construction options, recommended uses and durability, refer to the Product Bulletin for the base film or substrate (media) you are using. See **3M Related Literature** at the end of this Bulletin.

Film

3M™ Scotchcal™ Opaque Imaging Media 8522

Overlaminate

- 3M™ Scotchcal™ Luster Overlaminate 8519
- 3M™ Scotchcal™ Matte Overlaminate 8520

Printers and Inks

HP Designjet Printers	HP Inks		
 2500CP and 2000CP 2800CP and 3800CP 3500CP and 3000CP HP Designjet 5000 and 5500 	 Designjet CP Ink System UV (pigment-based) Designjet CP Inkjet System (imaging ink) 		
• Z6100	HP 91 Vivera Ink System		

Epson Printers	Epson Inks	
Stylus Pro 9500	Archival Inks	
 Stylus Pro 10000 printer 		
 Stylus Pro 10600 printer 		

Characteristics

These are typical values for unprocessed product; processing may change the values. Contact your 3M representative for a custom specification.

Characteristic	Description		
Media	7 mil, white, opaque graphic film		
Liner	Low-slippage, lay flat paper		
Adhesive	Changeable, pressure sensitive		
Thickness	Media with adhesive: 7.5 to 8 mil (nominal)		
Warranted application substrates	See next page.		
Application surfaces	Flat or simple curved surfaces, with or without rivets, used in vertical (± 10°) applications (no corrugations)		
Application temperature range	28° to 110°F (-2° to 43°C) (air and surface)		
Removable	For up to one year; see Warranty Information		

Characteristic	Description		
Warranted application substrates	Some substrates may "out-gas", resulting in tiny bubbles throughout the surface of the graphic. For maximum performance, be sure the substrate you select is properly cleaned and prepared as recommended by the manufacturer. See Instruction Bulletin 5.1 for additional information.		
	Alodine (anodized aluminum)		
	Automotive panels (automotive painted steel)		
	Fruehauf (painted aluminum)		
	FRP (fiberglass reinforced plywood)		
	• Glass		
	Imron® (polyurethane-painted metal panel)		
	Acrylic		
	Sintra ™ board		
	Note: Use on any other substrate is strictly on a graphics manufacturer and customer test and approve basis. Test for both adhesion and removal characteristics. The plasticizer in some banner materials may migrate. This may cause the edge of the graphic to peel or lift off of the banner. For optimum performance, follow the guidelines in the section, Creating A Laminated Overlap, on page 4.		

Warranty Information

The warranty given in the Product Bulletin that is current at the time you purchased the film is the one that 3M will honor. The warranties in the following table(s), given in years, are for finished graphics exposed in a vertical exposure in the United States except the Desert Southwest. See the warranty sections following this table for additional information.

3M[™] MCS[™] Warranty Durability for Finished Graphics

Construction (film and	HP Printers & Inks		Epson Printers & Inks		Removal
overlaminate on warranted substrate	Outdoor	Indoor	Outdoor	Indoor	
8522/8519	3 years	5 years	2 years	5 years	1 year without
8522/8520					chemical strippers or tools

Warranty and Limited Remedy

The following is made in lieu of all other express or implied warranties, including any implied warranty of **merchantability** or fitness for a particular purpose or implied warranty arising out of a course of dealing, custom or usage of trade: all 3M products are warranted to be free of defects in materials and manufacture at the time of shipment and to meet the specifications stated in this Product Bulletin. 3M will replace or refund the price of any 3M materials that do not meet this warranty within the specified time periods. These remedies are exclusive. In no case shall 3M be liable for any direct, indirect, or consequential damages, including any labor or non-3M materials charges.

See the Graphics Market Center Warranty Brochure, which gives the terms, additional limitations of the warranty, if any, and limitations of liability.